ACATS Modification List for ACATS 4.1

Version 4.1DD March 29, 2023

What is this?

This is the ACATS modification list for ACATS 4.1. This document includes test corrections, test removals, and new tests for ACATS 4.1. ACATS 4.1 is the current test suite for Ada, covering the third edition of Ada, ISO/IEC 8652:2012 (usually known as "Ada 2012").

ACATS Modification List version 3.1CC for ACATS 3.1 is the current list for that test suite. ACATS 3.1 should be used for testing implementations that support Amendment 1 (ISO/IEC 8652:1995/AMD 1:2007, often known as "Ada 2005"), and will continue to be maintained only as necessary for the foreseeable future.

ACATS Modification List version 2.6J for ACATS 2.6 is the current list for that test suite. ACATS 2.6 should be used for testing implementations of the second edition of Ada, ISO/IEC 8652:1995 (usually known as "Ada 95"); it also will continue to be maintained only as necessary for the foreseeable future.

Changes from the last list:

A handful of tests changed status on January 1st, see the lists for the details.

New test B3A1011 checks that 3.10.1(10.1/5) from AI12-0155-1 is enforced.

New test B3A1A06 checks that illegal calls as defined by 3.10.1(10/3) (from AI05-0151-1) are enforced.

Note: Some Allowed Modification tests have a required date of "ACATS 4.2". These are tests that don't have substantive changes, but rather change comments (including error locations for B-Tests). For ACATS users that are using traditional results comparison rather than the ACATS grading tools, changing these tests may cause work without benefit (since the tests don't have significant changes). As such, we're allowing the use of the old versions of the tests until the time when the next ACATS version (ACATS 4.2) is issued (most likely in the next quarter).

New tests posted between January 1, 2023 and March 31, 2023 will become required for conformity assessments on October 1, 2023. New tests posted between October 1, 2022 and December 31, 2022 will become required for conformity assessments on July 1, 2023. New tests posted between July 1, 2022 and September 30, 2022 will become required for conformity assessments on April 1, 2023. New tests posted before July 1, 2022 are required for conformity assessments. The effective dates of tests are marked in the lists.

Questions about this document? Contact the ACAA Technical Agent at agent@ada-auth.org.

ACATS 4.1 includes optional Test Grading tools

ACATS 4.1 introduces new test grading tools.

When the ACATS was designed (as the ACVC in the early 1980s), the intention always was that running it would give a simple and clear Pass or Fail result. However, grading of tests (particularly of B and L Tests) is somewhat subjective and very time-consuming. (Test grading typically involved poring over compiler listings of the entire ACATS with a large highlighter.) The subjectivity was acceptable in the days of common formal testing, as the formal testers would enforce a common grading standard (even if no one could describe what that was), but in an age of self-testing, it reduces the value of the ACATS.

As such, we're introducing a long-overdue set of automated grading tools. These tools are intended to:

- Greatly reduce the effort to grade an ACATS test run (and, hopefully to reduce the cost of formal testing to make it a more practical option);
- Ensure that all users of the ACATS grade tests in the same way, thus making it more valid to compare ACATS results between different implementations and different testers;
- Give implementers certainty as to whether a particular test result is passing (whether the location of an error is "close enough" to the canonical position);
- Be able to detect process errors (especially errors of omission) that is, tests improperly run (for instance, files compiled in the wrong order where the ACATS requires an order), or not run at all (if one is checking off lines in a listing, it's hard to notice that some test or portion of a test is missing).

The tools also will optionally give feedback to implementers about quality of error message positioning and of error cascades (does one error generate multiple messages?). (Since "goodness of an implementation" is not something that the ACATS tests for, this is not an official goal for the tools.)

This is an ambitious set of goals. It's unlikely that they'll be completely met by the initial versions of the tools. As such, their use will be completely optional (but encouraged!) for ACATS 4.1. The tools will be updated periodically by the normal process for updating the ACATS – an ACATS Modification List like this one.

Details on the operation of the tools can be found in the ACATS 4.1 documentation (that documentation can be found at http://www.ada-auth.org/acats-files/4.1/docs/UG-6.HTM). As always, if you have questions, contact the ACAA Technical Agent at agent@ada-auth.org.

Notice:

The ACAA has created and maintains the Ada Conformity Assessment Test Suite for the purpose of conformity assessments conducted in accordance with the International Standard ISO/IEC 18009 - Ada: Conformity assessment of a language processor. This test suite should not be used to make claims of conformance unless used in accordance with ISO/IEC 18009 and any applicable ACAA procedures.

List explanation:

Test numbers given are for the basic test. Categories are "Withdrawn" (the test should not be processed for Ada conformity assessments); "Allowed Modification" (either the original test or the modified one should be processed for Ada conformity assessments); "Modified" (the modified test must be processed for Ada conformity assessments); "Pending New" (the test does not need to be processed for Ada conformity assessments, but will be added in the future); "New" (the test is processed for Ada conformity assessments).

ACATS version labels are provided with all new and modified tests. Use this label to retrieve the test from the ACATS VCS. See "How to get new and modified tests".

In citations, line numbers are given relative to the start of a test file in the format of '@<line#,line#,...>'; if a test program comprises more than one file, then the particular file will be indicated by "fn", where "n" is the test-program name's file-designator numeral. E.g., "B38103E: @f1-31, ... " denotes test file b38103e1.ada. In cases where there are two or more rationales for different errors in a test program, these different rationales with their respective line citations are listed on separate lines. References to the Ada standards are given in the format:

```
<section|chapter>.<clause>[.<subclause>]:<paragraph>
```

These references are to the consolidated Ada standard as available at http://www.ada-auth.org/standards/rm12 w tc1/html/RM-TOC.html.

Main list:

==== Core Language =====

- Name Category Version label (effective date; old version label) Short description.
- B32201A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B324001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B324004 [New] VCS Label: A4_1W

 Check that the Predicate_Failure aspect is only allowed in conjunction with a predicate aspect, and that the expression is of type String.
- C324006 [New] VCS Label: A4_1W

 Check that for a Predicate_Failure aspect whose expression does not raise an expression, the value of the aspect is used as the Exception_Message in the exception occurrence when the appropriate predicate check fails.
- B33001A [Modified] VCS Label: A4_1P
 Added error location indicators, added additional possible error locations, restored likely intended test for Set2.
- B33101A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B350001 [New] VCS Label: A4_1Q Check that the requirements on the specification of the Default Value aspect are enforced.
- C350001 [New] VCS Label: A4_1D Check that the object form of the Image attribute is implemented.
- C350A01 [New] VCS Label: A4_1R

 Check that objects of types with specified Default_Values are properly initialized. Part 1: Normal discrete types.
- C350A02 [New] VCS Label: A4_1R

 Check that objects of types with specified Default_Values are properly initialized. Part 2: Generic discrete types.
- C350B01 [New] VCS Label: A4_1R

 Check that objects of types with specified Default_Values are properly initialized. Part 3: Normal real types.
- C350B02 [New] VCS Label: A4_1R

Check that objects of types with specified Default_Values are properly initialized. Part 4: Generic real types.

C352001 [Modified] VCS Label: A4_1D Corrected Failed message @267 to reflect intended result.

B354002 [New] VCS Label: A4_1D

Test basic requirements for the Mod attribute.

C354004 [New] VCS Label: A4_1D

Test basic operation of the Mod attribute.

B35901C [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1
Required in ACATS 4.2
Added error location indicators; moved error tags to correct locations.

B35A001 [New] VCS Label: A4_1D Check Legality Rules are enforced when Small is specified by an aspect specification.

C35A001 [New] VCS Label: A4_1D Check that Small can be specified by an aspect specification.

B360001 [New] VCS Label: A4_1Q Check that the requirements on the specification of the Default Component Value aspect are enforced.

C360A01 [New] VCS Label: A4_1S

Check that objects of types with specified

Default_Component_Values are properly initialized. Part 1: Arrays of discrete types.

C360A02 [New] VCS Label: A4_1S

Check that objects of types with specified

Default_Component_Values are properly initialized. Part 2: Generic arrays of discrete types.

C360B01 [New] VCS Label: A4_1S

Check that objects of types with specified

Default_Component_Values are properly initialized. Part 3: Arrays of real types.

C360B02 [New] VCS Label: A4_1S

Check that objects of types with specified

Default_Component_Values are properly initialized. Part 4: Generic arrays of real types.

B36102A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators; split constructs so there is only one error per construct.

B370002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.

- B37309B [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B37310B [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B37311A [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B38003D [Modified] VCS Label: $A4_1A$ Corrected error tags @70,76,82,88 so "optional" and "error" are on the same line, as required by the test standards.
- B38103A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B38103B [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B38103C [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B38103D [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B38103E [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B392002 [Modified] VCS Label: A4_1G Revised to use Possible Error tags, and added error location indicators.
- B392003 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B392004 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B392005 [Modified] VCS Label: A4_1G Revised to use Possible Error tags, and added error location indicators.
- B393001 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B393005 [Allowed Modification] New VCS Label: A4 1W Org VCS Label: A4 1

Required in ACATS 4.2

Added error location indicators.

B393007 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies. Fixed overlong lines.

B393008 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

- B393009 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B393010 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies. Fixed overlong lines.
- B393012 [New] VCS Label: A4_1P

 Check that abstract types cannot be used in additional contexts that do not allow abstract types.
- B393013 [New] VCS Label: A4_1P Check that interface types cannot be used in additional contexts that do not allow abstract types.
- B394001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B394A01 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B394A02 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B394A03 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B394A04 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B394A05 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- C3A0030 [New] VCS Label: A4_1A

 Check that an access discriminant is only null excluding if it includes a null exclusion.
- B3A1001 [Modified] VCS Label: A4_1A Split Pack6 so possible error sets don't intersect; fixed

overlong lines.

B3A1002 [Modified] VCS Label: A4 1A

Split Pack6 so possible error sets don't intersect; fixed overlong lines.

B3A1011 [Pending New] New VCS Label: A4_1DD

Required after 2023-10-01

Check that dynamically tagged dispatching calls of incomplete views are illegal.

B3A1A06 [Pending New] New VCS Label: A4_1DD

Required after 2023-10-01

Check that calls with actual parameters of untagged incomplete views are illegal. Check that calls returning an incomplete view are illegal.

B3A2007 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies.

B3A2008 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies.

B3A2009 [Modified] VCS Label: A4 1G

Removed tabs to meet test format standards; added error location indicators.

B3A2011 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies.

B3A2012 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies.

B3A2016 [Modified] VCS Label: A4 1G

Added additional error locations to directly support common error reporting strategies.

B3A2018 [New] VCS Label: A4 1H

[VCS Label A4_1H] Check that an explicitly aliased parameter has the same accessibility level as a normal parameter unless compared to the return object. Check that master of the function call is properly determined statically.

[VCS Label A4_1T] Corrected so that it is not affected by whether AI12-0345-1, AI12-0402-1, and AI12-0390-1 are implemented.

B413004 [Modified] VCS Label: A4 1J

PPA and PFA trigger the issue of AI12-0289-1; explicit null exclusions were added to the parameters to avoid it.

B413005 [Pending New] New VCS Label: A4_1CC Required after 2023-07-01

Check that various incorrect prefixed views are not allowed.

C413007 [Pending New] New VCS Label: A4_1CC Required after 2023-07-01

the parameters.

- Check that when the prefix of a prefixed view is an access object, evaluation of the prefixed view raises Constraint_Error when the value of the prefix is null.
- B41327B [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B415001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- C415001 [Modified] VCS Label: A4_1P

 [VCS Label A4_1N] Return @119 fails an accessibility check
 unless C is aliased.

 [VCS Label A4_1P] The subtype of My_Colln @125 needs to be either
 discriminated or to statically match that of the formal types of
- B416001 [Modified] VCS Label: A4_1W

 Commented out Priv2 test case as it is the subject of AI12-0428-1.
- C431003 [New] VCS Label: A4_1Z Check that record aggregates that specify a discriminant with <> get the default value of the discriminant.
- C431004 [New] VCS Label: A4_1Z Check that extension aggregates that specify a discriminant with <> get the default value of the discriminant.
- B431007 [New] VCS Label: A4_1P Check that record aggregates are not allowed for types whose components aren't visible.
- B431008 [New] VCS Label: A4_1Z Check that record aggregates that specify a discriminant with <> are illegal if the discriminant does not have a default.
- B431009 [New] VCS Label: A4_1Z Check that extension aggregates that specify a discriminant with <> are illegal if the discriminant does not have a default.
- B432002 [New] VCS Label: A4_1P Check that all of the extensions of an extension aggregate are record extensions.
- B432003 [New] VCS Label: A4_1P

 Check that the ancestor subtype_mark of an extension aggregate does not denote a view with unknown discriminants.
- B43201A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B43201C [Allowed Modification] New VCS Label: A4 1W Org VCS Label: A4 1

Required in ACATS 4.2

Added error location indicators.

B43202C [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B433002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B433003 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B433004 [Pending New] New VCS Label: A4_1BB Required after 2023-04-01

Check that an others choice is not allowed in an aggregate that appears as the dependent expression of a conditional expression in an unconstrained context.

C433007 [Pending New] New VCS Label: A4_1BB Required after 2023-04-01

Check that an aggregate with an others choice can be assigned into an array variable even if the nominal subtype of the variable is unconstrained.

C433008 [Pending New] New VCS Label: A4_1CC Required after 2023-07-01

Check that aggregate with others choices can be used inside a conditional expression so long as the context of the conditional expression provides a constraint.

B440001 [New] VCS Label: A4_1Y

Check that the operands of a membership test are simple_expressions, not choice_expressions.

B452001 [New] VCS Label: A4 1K

Check that a membership that contains choice expressions is illegal for a limited type that does not have equality.

B452002 [New] VCS Label: A4 1L

Check that Resolution and Legality Rules for the universal access equality operator are enforced.

C452002 [New] VCS Label: A4 1F

[VCS Label A4_1D] Check that overloading resolution of Ada 2012 membership operations works as intended.

[VCS Label A4_1F] Fixed incorrect test number passed to Report.

C452003 [New] VCS Label: A4 1R

[VCS Label A4_1K] Check that memberships of general access-to-object types work as defined.
[VCS Label A4_1R] Corrected Force_Save and Force_Op.

C452004 [New] VCS Label: A4 1Q

[VCS Label A4 1L] Check that memberships with multiple choices are

evaluated as required, and that the correct equality operation is called for untagged record types.

[VCS Label A4_1Q] LTemp and RTemp @ 136 and 164 should be declared Integer rather than Natural, as the numerators are of type Integer and can be negative.

C452005 [New] VCS Label: A4 1L

Check that memberships with multiple choices call the correct equality operation for array types.

C452006 [New] VCS Label: A4 1M

[VCS Label A4_1L] Check that memberships with multiple choices call the correct equality operation for access types.
[VCS Label A4_1M] Corrected to remove cases made illegal by AI12-0328-1.

C452A01 [New] VCS Label: A4 1K

Check that "=" for language-defined private types behaves as if it is predefined. Part 1: core types.

C452A02 [New] VCS Label: A4 1K

Check that "=" for language-defined private types behaves as if it is predefined. Part 2: types of the Ada.Strings subsystem.

C452A03 [New] VCS Label: A4 1K

Check that "=" for language-defined private types behaves as if it is predefined. Part 3: Annex C types.

C453001 [New] VCS Label: A4 1D

Check that modular adding operators wrap around rather than raising Constraint Error.

B455002 [Modified] VCS Label: A4 1A

Corrected casing of error tags and fixed overlong lines.

B457001 [Modified] VCS Label: A4 1F

Fixed overlong lines. Added location indicators.

B457002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B457004 [Modified] VCS Label: A4_1F

There should not be an ERROR tag @282; Single_Highest @290 should be Single High. Added location indicators.

B457005 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B457007 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B458001 [New] VCS Label: A4 1F

Check that a quantified expression has to be surrounded in parentheses if it is not already surrounded by them.

- C458002 [New] VCS Label: A4_1AA
 - Check the operation of quantified expressions using array element iterators.
- C458003 [New] VCS Label: A4 1AA

Check boundary conditions for quantified expressions using discrete iterators. (This test is a companion to the existing C458001.)

C458A01 [New] VCS Label: A4 1AA

Check the operation of quantified expressions using generalized iterators.

C458A02 [New] VCS Label: A4 1AA

Check the operation of quantified expressions using container iterators.

B460002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

C460014 [New] VCS Label: A4 1C

Check that Constraint_Error is raised appropriately when converting access-to-classwide to another access type.

C460015 [New] VCS Label: A4 1C

Check that Constraint Error is raised appropriately when converting access-to-limited-classwide to another access type.

B470001 [New] VCS Label: A4 1D

Check that qualified expressions are a constant view of the expression, even if the expression is a variable object.

C470001 [New] VCS Label: A4 1D

Check that qualified expressions are a name, and thus can be used as a prefix and other places a name is required.

C480001 [New] VCS Label: A4 1D

[VCS Label A4_1A] Check that an initialized allocator for a class-wide type does an accessibility check on the tag of the initializing object.

[VCS Label A4_1D] Changed mode to "in" (instead of "in out") @103 & 144 as those parameters are used in functions, making that an Ada 2012 feature, and this is an Ada 2005 test.

B480002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B480004 [New] VCS Label: A4 1G

Check that an allocator is illegal if the access type has a Storage Size that is statically zero.

B48002A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B48002G [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

- B48003B [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1
 Required in ACATS 4.2
 Added error location indicators.
- B48003E [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B490003 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2

 Moved error tags to more usual locations, added error location indicators.
- B490004 [New] VCS Label: A4_1Z Check that static expressions that fail a static predicate check are illegal, even if the assertion policy is Ignore.
- B49005A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B4A010C [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- C52101A [Modified] VCS Label: A4_1A Corrected comment @49 not to have the form of an error tag.
- B540001 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B540002 [Modified] VCS Label: A4_1G Added additional error locations to directly support common error reporting strategies.
- B54B01B [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B54B01C [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B54B02B [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B54B02C [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.

- B54B02D [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B54B04A [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B54B04B [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B54B05A [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B551001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators; moved incorrectly located error tags.
- B551002 [Modified] VCS Label: A4_1N Revised test to remove dependence on Ada.Iterator Interfaces.
- B552A01 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies. Fixed an overlong line.
- B55B12B [Modified] VCS Label: A4_1G

 Added additional error locations to directly support common error reporting strategies.
- B55B12C [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- B56001A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B57001B [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2

 Added error location indicators.
- B611001 [New] VCS Label: A4_1A

 Check that Pre and Post are only allowed on subprograms and entries (and not on subprogram instances).
- B611002 [New] VCS Label: A4_1C
 [VCS Label A4_1A] Check that Pre and Post are not allowed on subprograms acting as completions.
 [VCS Label A4_1C] Corrected several error location codes.
- B611003 [New] VCS Label: A4_1A Check that Pre'Class and Post'Class are only allowed on primitive subprograms of tagged types. (Normal tagged types and interfaces.)

B611004 [New] VCS Label: A4 1BB

[VCS Label A4_1A] Check that Pre'Class and Post'Class are not allowed on subprograms acting as completions.

[VCS Label A4_1BB] All of the cases previously marked OK other than the first are illegal as the subprogram is not a primitive subprogram, and that is required by 13.1.1(16/4).

B611005 [New] VCS Label: A4 1A

Check that Pre and Post are not allowed on abstract subprograms and null procedures.

B611006 [New] VCS Label: A4 1V

[VCS Label A4_1A] Check that the restrictions on Pre'Class and Post'Class expressions added by AI12-0113-1 are enforced.

[VCS Label A4_1C] Clarified error @208; changed error @233 & @247 to OK (as the inherited Proc4 routine is abstract and thus is not subject to the new rule).

[VCS Label A4_1V] Eliminated the third objective (all of the code under the "Third Objective" comment), as the rule was replaced by AI12-0412-1 (a Binding Interpretation).

B611007 [New] VCS Label: A4 1F

[VCS Label A4_1A] Check that Pre'Class and Post'Class are not allowed on entries and protected subprograms of untagged task and protected types.

[VCS Label A4_1F] Corrected preconditions @77 and @110 not to violate the new rule added by Binding Interpretation AI12-0166-1.

B611008 [New] VCS Label: A4 1A

Check various rules about the use of the Result attribute.

B611009 [New] VCS Label: A4 1A

Check that F'Result is not allowed in the body of F.

B611010 [New] VCS Label: A4 1A

Check that the Old attribute is not allowed in a subprogram or entry body, or in an accept statement.

B611011 [New] VCS Label: A4 1A

Check the Old attribute cannot be used within a precondition expression nor in a generic specification outside of a postcondition expression.

B611012 [New] VCS Label: A4 1A

Check that the prefix of an Old attribute cannot contain the Result attribute, another Old attribute, nor the index of a quantified expression.

B611013 [New] VCS Label: A4 1A

For a discrete X, check that X'Old has the nominal subtype of X.

B611014 [New] VCS Label: A4 1C

[VCS Label A4_18] If an Old attribute reference occurs at a place where it is potentially unevaluated, check that the prefix must statically denote an object.

[VCS Label A4 1C] Corrected error location codes @240 and @252.

B611015 [New] VCS Label: A4 1B

Check that the prefix of an Old attribute cannot have a limited type.

B611016 [New] VCS Label: A4 1B

Check that tagged tas \overline{k} and tagged protected types do not allow Pre'Class and Post'Class, nor are they allowed on operations of those types.

B611017 [New] VCS Label: A4 1C

[VCS Label A4_1B] Check that Pre'Class cannot be specified for an overriding of a subprogram that does not specify Pre'Class. [VCS Label A4_1C] Declaration of New_Proc @358 is not overriding and thus not subject to the rule. The declaration of Shine @149 never overrides primitives of the actual type by 12.3(18), thus this rule does not apply to instances of Gen2. Added an example using a generic derived type.

B611018 [New] VCS Label: A4 1C

[VCS Label A4 1B] Check 6.1.1(10-16/3).

[VCS Label A4_1C] Type T08 @230 and @241 needs to be declared abstract.

B611019 [New] VCS Label: A4 1C

[VCS Label A4 1B] Check 6.1.1(17/3).

[VCS Label A4_1C] The declaration of Get_Count @112 never overrides primitives of the actual type by 12.3(18), thus this rule does not apply to instances of Gen2. Added examples using generic derived types.

C611A01 [New] VCS Label: A4_1A

Check that preconditions and postconditions where both specific and class-wide contracts apply are checked properly.

C611A02 [New] VCS Label: A4 1C

[VCS Label A4_1A] Check that the correct expressions are evaluated for specific preconditions and postconditions, and that they are evaluated at the correct point.

[VCS Label A4 $_{1}$ C] The main subprogram name was corrected to follow the rules of the ACATS User's Guide, clause 4.3.3.

C611A03 [New] VCS Label: A4 1C

[VCS Label A4_1A] Check that the correct expressions are evaluated for class-wide preconditions and postconditions, and that they are evaluated at the correct point.

[VCS Label A4_1C] The main subprogram name was corrected to follow the rules of the ACATS User's Guide, clause 4.3.3.

C611A04 [New] VCS Label: A4 1D

[VCS Label A4_1C] Check that the correct expressions are evaluated for class-wide preconditions and postconditions of an interface type, and that they are evaluated at the correct point.
[VCS Label A4 1D] Fixed overlong lines.

C611B01 [New] VCS Label: A4 1C

[VCS Label A4_1A] Check that X'Old has the tag of X and not the tag of the nominal subtype of X (for Post).

[VCS Label A4_1C] The main subprogram name was corrected to follow the rules of the ACATS User's Guide, clause 4.3.3.

C611B02 [New] VCS Label: A4 1C

[VCS Label A4_1A] Check that X'Old has the tag of X and not the tag of the nominal subtype of X (for Post'Class).

[VCS Label A4_1C] The main subprogram name was corrected to follow the rules of the ACATS User's Guide, clause 4.3.3.

C611B03 [New] VCS Label: A4 1D

[VCS Label A4_1C] Check that X'Old has the tag of X and not the tag of the nominal subtype of X (for Post'Class of an interface type).

[VCS Label A4 1D] Fixed overlong lines.

C620002 [New] VCS Label: A4 1R

Modernizes, adds test cases to, and eliminates illegal calls from legacy test C95072A.

B62001C [Modified] VCS Label: A4 1A

Changed error @35 to be optional, as the syntax error @33 is required (and the comment that only one error need be detected is bogus).

B62001D [Modified] VCS Label: A4 1A

Changed error @41 to be optional, as the syntax error @33 is required (and the comment that only one error need be detected is bogus).

B63005A [Modified] VCS Label: A4 1D

Added additional error locations to directly support common error reporting strategies.

B63005B [Modified] VCS Label: A4 1D

Added additional error locations to directly support common error reporting strategies.

B631001 [New] VCS Label: A4_1N

Check that a prefixed view is intrinsic.

C641002 [New] VCS Label: A4 1V

Check that for an out parameter of a scalar type with a specified Default_Value, the value of the actual parameter is passed in without any constraint check.

B641003 [New] VCS Label: A4 1V

Check that for an out parameter of a scalar type with a specified Default_Value, it is illegal to pass a type conversion of an object unless the type of the object is related and has a specified Default_Value.

C641003 [New] VCS Label: A4_1Y

[VCS Label A4_1V] Check that for an out parameter of a scalar type with a specified Default_Value, the value of the actual parameter is passed in without any predicate check.

[VCS Label A4_1Y] Corrected comments to talk about predicates and Assertion Error.

B650003 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B650005 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.

B650007 [New] VCS Label: A4 1Y

Check that an extended return statement containing the reserved word aliased is only allowed if the type of the return object is immutably limited.

C650B04 [New] VCS Label: A4_1A

Check that the result of a function that returns a class-wide tagged type does an accessibility check on the tag of the result object when the result expression is class-wide.

B651001 [New] VCS Label: A4 1S

[VCS Label A4_1D] Check that a return statement cannot apply to a nonreturning procedure, and that a renames-as-body of a nonreturning procedure has to be a nonreturning procedure (pragma No Return version).

[VCS Label A4 $_$ 1S] Corrected pragmas @176 and @179 to refer to the immediately preceding procedures.

C651001 [New] VCS Label: A4 1D

Check that a nonreturning procedure can raise an exception and raises Program Error otherwise (pragma No Return version).

B651002 [New] VCS Label: A4 1D

Check that a return statement cannot apply to a nonreturning procedure, and that a renames-as-body of a nonreturning procedure has to be a nonreturning procedure (aspect No_Return version).

C651002 [New] VCS Label: A4_1D

Check that a nonreturning procedure can raise an exception and raises Program_Error otherwise (aspect No_Return version).

B651003 [New] VCS Label: A4 1D

Check that an aspect No_Return can only be given on a procedure or generic procedure, that the expression has to be nonstatic, and that the aspect is not given on an instance or null procedure.

B651004 [New] VCS Label: A4 1V

Check that a dispatching nonreturning procedure can only be overridden by a nonreturning procedure.

B660001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B660002 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

- B660003 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2
 - Fixed overlong lines, added error location indicators.
- B66001A [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1
 Required in ACATS 4.2
 Added error location indicators.
- B66001B [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B67001C [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1
 Required in ACATS 4.2
 Moved many error tags to the correct position; added error location indicators.
- B680001 [Modified] VCS Label: A4_1F

 The immediately enclosing expression function @140 does not declare a parameter A, but A is used @141. Added location indicators.
- B730006 [Modified] VCS Label: A4_1C Corrected format of error tags; added location indicators.
- B730007 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Fixed overlong lines, header formatting issues, added error location indicators.
- B730008 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B730009 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B730011 [New] VCS Label: A4_1C

 Test various rules about completions of private types and extensions; replaces test B74001A.
- B730012 [New] VCS Label: A4_1C

 Test various rules about completions of private types and extensions in generic units; replaces test B74001B.
- B730013 [New] VCS Label: A4_1D

 Test operations available for a private type; replaces test
 B74203E.
- B73001A [Modified] VCS Label: A4_1C
 Added additional error locations to directly support common error reporting strategies.
- B73001B [Modified] VCS Label: A4_1C Added additional error locations to directly support common error reporting strategies.

- B73001C [Modified] VCS Label: A4_1C

 Added additional error locations to directly support common error reporting strategies.
- B73001D [Modified] VCS Label: A4_1C
 Added additional error locations to directly support common error reporting strategies.
- B73001E [Modified] VCS Label: A4_1C
 Added additional error locations to directly support common error reporting strategies.
- B73001F [Modified] VCS Label: A4_1C Added additional error locations to directly support common error reporting strategies.
- B73001G [Modified] VCS Label: A4_1C Added additional error locations to directly support common error reporting strategies.
- B73001H [Modified] VCS Label: A4_1C
 Added additional error locations to directly support common error reporting strategies.
- B740002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B740003 [Modified] VCS Label: A4_1H

 [VCS Label A4_1A] Modified criteria @75 so that it doesn't look like an error tag to the grading tools; also fixed an overlong line.

 [VCS Label A4 1H] Modified grading to document that processing the

main is optional. Added error location indicators.

- B74001A [Withdrawn] VCS Label: A4_1C Replaced by B730011.
- B74001B [Withdrawn] VCS Label: A4_1C Replaced by B730012.
- B74101A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- B74104A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

 Added error location indicators; added Optional Error tag for D component (that matches missing discriminant).
- B74203E [Withdrawn] VCS Label: A4_1D Replaced by B730013.
- B750A07 [New] VCS Label: A4_1G [VCS Label A4_1A] Check that only legal expressions are allowed in the return expression of an expression function that returns a

limited type.

[VCS Label A1_1G] Adjusted error indicators to allow the error to be reported anywhere in a multi-line expression.

- C760A02 [New] VCS Label: A4_1G
 - Checks that functions that return immutably limited types are built-in-place.
- C760A03 [New] VCS Label: A4 1G

Checks that expression functions that return immutably limited types are built-in-place.

B830001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Split test into 6 files; added error location indicators.

B830003 [New] VCS Label: A4 1W

Check that illegal homographs are detected in specifications of generic packages. Replaces B83004A.

B830004 [New] VCS Label: A4 1W

Check that illegal homographs are detected in body of generic packages. Replaces B83004B.

B830005 [New] VCS Label: A4 1W

Check that illegal homographs are detected in subunits of the bodies of generic packages. Replaces B83004D.

B830006 [New] VCS Label: A4 1W

Check that illegal homographs of expression functions are detected in generic packages.

B83001A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Moved many error tags to the correct position; added error location indicators.

B83003A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Moved many error tags to the correct position; added error location indicators.

B83003B [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Moved many error tags to the correct position; added error location indicators.

B83004A [Withdrawn] Org VCS Label: A4 1W

Replaced in part by test B830003, the rest was redundant with B83004B.

- B83004B [Withdrawn] Org VCS Label: A4_1W Replaced by test B830004.
- B83004C [Withdrawn] Org VCS Label: A4_1W Redundant with B83004D.

- B83004D [Withdrawn] Org VCS Label: A4_1W Replaced by test B830005.
- B83027B [Modified] VCS Label: A4_1G

 The discriminant @90 needs a default expression as all or none of the discriminants of a type need defaults. Also added error location indicators.
- B83027D [Modified] VCS Label: A4_1G Corrected bad error tag, and added error location indicators.
- B831006 [New] VCS Label: A4_1K Checks that overriding indicators cannot be given on any subprogram declaration in a protected body.
- B83E01B [Modified] VCS Label: A4_1G

 Removed possible error cascades, reformatted some error tags, and added error location indicators.
- B83F02C [Modified] VCS Label: A4_1A

 Updated many optional error markers to match ACATS standards.
- B85002A [Withdrawn] VCS Label: A4_1H Replaced by B851005.
- B85003A [Withdrawn] VCS Label: A4_1H Replaced by B851007.
- B85003B [Withdrawn] VCS Label: A4_1H Replaced by B851007.
- B851004 [Modified] VCS Label: A4_1J

 Revised test to eliminate cases whose result would be changed by pending AI12-0287-1, and added cases to preserve complete testing.
- B851005 [New] VCS Label: A4_1H
 Checks that "known to be constrained" is properly enforced for renames. Part 1: "Normal" cases (no generics or access cases).
 Replaces B85002A.
- B851006 [New] VCS Label: A4_1H

 Checks that "known to be constrained" is properly enforced for renames. Part 2: Access cases.
- B851007 [New] VCS Label: A4_1K [VCS Label A4_1H] Checks that "known to be constrained" is properly enforced for renames. Part 3: Generic cases. Replaces B85003A and B85003C. [VCS Label A4_1K] Corrected types of declaration @198 and @214, and mode @328.
- B853001 [New] VCS Label: $A4_1H$ Checks that a renamed limited view cannot be used where there is not a with for the original package.
- B854002 [New] VCS Label: A4 1J

[VCS Label A4_1H] When parameter or result has a null exclusion for a subprogram rename, check that the subtype of the corresponding parameter or result of the renamed subprogram must exclude null.

[VCS Label A4_1J] Corrected wording of the second test objective. [VCS Label A4_1R] Corrected error markers on RenG51, RenG61, RenGF51, and RenGF61. Corrected renaming @412 to rename the correct function.

B854003 [New] VCS Label: A4 1J

Check various rules about renames as body: conformance of both the renaming and renamed entity, and renaming of abstract and intrinsic subprograms.

- B854004 [New] VCS Label: A4_1J
 - Check that renaming a subprogram that requires overriding is illegal.
- B854005 [New] VCS Label: A4_1J

Check that a renaming of a prefixed view is illegal if renaming the prefix as an object is illegal.

B860002 [New] VCS Label: A4 1Q

Check that implicit conversions of access types don't allow too much.

B91003A [Modified] VCS Label: A4 1C

Added additional error locations to directly support common error reporting strategies.

B91003B [Modified] VCS Label: A4_1C

Added additional error locations to directly support common error reporting strategies.

B91003C [Modified] VCS Label: A4 1C

Added additional error locations to directly support common error reporting strategies.

B91003D [Modified] VCS Label: A4 1C

Added additional error locations to directly support common error reporting strategies.

B940003 [Modified] VCS Label: A4 1C

Added additional error locations to directly support common error reporting strategies.

B940004 [Modified] VCS Label: A4 1C

Split into 8 files; added $\overline{\text{location}}$ indicators.

B940008 [New] VCS Label: A4 1M

Check the overriding indicators work properly on protected subprograms.

B940009 [New] VCS Label: A4_1M

Check that the mode and type of the first parameter of protected operations that implement inherited subprograms is correct.

- B940010 [New] VCS Label: A4 1M
 - Check that a protected operation and a primitive subprogram of a tagged protected type cannot have the same profile.
- B940011 [New] VCS Label: A4 1M

Check that an protected operation and the associated inherited operation must subtype conform. Check that inherited operations must be implemented, overridden, or be a null procedure.

C940017 [New] VCS Label: A4 1M

Check that dispatching calls can be made through a protected interface and that they can be implemented with protected subprograms and entries.

C94001A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94001B [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94001C [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94002A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94004A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94004B [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94004C [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94005A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94005B [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94007A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

C94010A [Modified] VCS Label: A4 1M

Revised test to replace excessive delays with Impdef constants.

B950001 [Modified] VCS Label: A4 1W

Commented out test case 149; fixed overlong lines, added error location indicators.

B950002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators.

B95007B [Modified] VCS Label: A4 1A

Fixed error markers @62,66,70 to match ACATS standards.

- C95012A [Modified] VCS Label: A4_1M

 Revised test to replace excessive delays with Impdef constants.
- C95072A [Withdrawn] VCS Label: A4_1R
 Replaced by C620002; it violated the anti-order dependence rules of 6.4.1.
- B95094A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

 Added error location indicators.
- B952005 [New] VCS Label: A4_1M Check the overriding indicators work properly on task and protected entries.
- C97307A [Modified] VCS Label: A4_1M

 Revised test to replace excessive delays with Impdef constants.
- BA1001D [Modified] VCS Label: A4_1G

 Revised to mark the main subprogram as optional, as it is not necessary to check the test objective. Added error location indicators.
- BA1020F [Modified] VCS Label: A4_1G

 Revised to mark the main subprogram as optional, as it is not necessary to check the test objective. Added error location indicators.
- BA11007 [Modified] VCS Label: A4_1G Split into six test files to avoid requiring error recovery.
- BA11013 [Modified] VCS Label: A4_1G

 Revised to make processing the last compilation unit optional,
 as it is not necessary to check the test objective. Added error
 location indicators.
- BA1101E [Withdrawn] Org VCS Label: A4_1G Replaced by test BA14001.
- BA12010 [Modified] VCS Label: A4_1G

 Revised to use Possible Error tags, and added error location indicators.
- BA12018 [New] VCS Label: A4_1H

 Check that names mentioned but not named in a private with are also treated as privately withed.
- BA14001 [New] VCS Label: A4 $_1$ G Replaces test BA1101E with modern format and additional test cases for Ada 95 compilation units.
- BA14002 [New] VCS Label: A4_1G Similar to BA14001, testing private with.
- BA14003 [New] VCS Label: A4 $_$ 1G Checks that a unit is illegal if it depends on two versions of the

same unit.

- BA21005 [New] VCS Label: A4 1D
 - Test that Pure and Preelaborate aspects cannot be specified late, with a nonstatic expression, or an expression of a type other than Boolean.
- BA21A01 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BB42001 [New] VCS Label: A4_1C

 [VCS Label A4_1A] Check that the arguments of a pragma Assert have to have the correct types.

 [VCS Label A4 1C] Corrected two incorrect error location codes.
- CB42001 [New] VCS Label: A4_1A

 Check the usual operation of pragma Assert, including the optional message.
- BB42002 [New] VCS Label: A4_1A

 Check that the arguments of a pragma Assert cannot be reordered even if named notation is used.
- CB42002 [New] VCS Label: A4_1A

 Check that if the assertion policy is Ignore, none of the expressions of a pragma Assert are evaluated and no exception is raised by the pragma.
- BB42003 [New] VCS Label: A4_1A Check that a pragma Assertion_Policy is illegal if the policy is not recognized.
- CB42003 [New] VCS Label: A4_1A

 Check that procedure Ada.Assertions.Assert evaluates its arguments and raises Assertion Error regardless of the assertion policy.
- BC10001 [New] VCS Label: A4_1W

 Check that generic formal parts cannot be prepended to task or protected specifications. Replaces BC2001D and BC2001E.
- BC1201F [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC1201G [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC1201H [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC1201I [Allowed Modification] New VCS Label: A4 1W Org VCS Label: A4 1

- Required in ACATS 4.2 Added error location indicators.
- BC2001D [Withdrawn] Org VCS Label: A4_1W Replaced by test BC10001.
- BC2001E [Withdrawn] Org VCS Label: A4_1W Replaced by test BC10001.
- BC30001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC3013A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC3018A [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC40003 [New] VCS Label: A4_1J

 [VCS A4_1H] Checks that the subtype of the actual for a generic formal object with a null exclusion must exclude null.

 [VCS A4_1J] Revised test to eliminate cases whose result would be changed by pending AI12-0287-1, and to preserve complete testing.
- CC51010 [Modified] VCS Label: A4_1F

 The main subprogram name was corrected to follow the rules of the ACATS User's Guide, clause 4.3.3.
- BC51016 [Modified] VCS Label: A4_1G Corrected bad error tag, and added error location indicators.
- BC51019 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC51020 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC51B02 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC51C01 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC51C02 [Allowed Modification] New VCS Label: A4_1P Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC54004 [New] VCS Label: A4_1H

 Checks that the null exclusion of the formal type and of the actual subtype for a generic formal access type must match.

- BC55001 [New] VCS Label: A4_1P

 Check that formal interface types cannot be used in contexts that do not allow abstract types.
- BC60001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC60002 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2 Added error location indicators.
- BC60005 [New] VCS Label: A4_1J [VCS Label A4_1H] Checks that the subtype of a parameter or result of the actual subprogram for a generic formal subprogram where the corresponding parameter or result has a null exclusion must exclude null.

[VCS Label A4_1J] Corrected wording of the second test objective. [VCS Label A4_1Q] Corrected error markers on InstG51, InstG61, InstGF51, and InstGF61. [VCS Label A4 1R] Corrected instance @437 to use correct actual

- parameter.
- BD10001 [New] VCS Label: A4_1R

 Check that an aspect cannot be specified in multiple ways for a single entity.
- CD1009A [Withdrawn] VCS Label: A4_1D

 Has one of the objectives of, and thus redundant with, test
 CD2A31C (now CD30012).
- CD1009B [Withdrawn] VCS Label: A4_1D

 Has one of the objectives of, and thus redundant with, test
 CD2A21C (now CD30011).
- CD1009L [Withdrawn] VCS Label: A4_1D Virtually identical to, and thus redundant with, test CD2D13A.
- CD1009M [Withdrawn] VCS Label: A4_1D Virtually identical to, and thus redundant with, test CD3014C.
- CD11001 [New] VCS Label: A4_1A Check that appropriate entities are visible in an aspect specification.
- CD2A21C [Withdrawn] VCS Label: A4_1D Replaced by CD30011.
- CD2A31C [Withdrawn] VCS Label: A4_1D Replaced by CD30012.
- BD11001 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

 Added error location indicators; improved error tags for freezing subtests.

- BD30001 [New] VCS Label: A4 1D
 - Check Legality Rules are enforced when Size is specified by an aspect specification for a type.
- BD30002 [New] VCS Label: A4 1D

Check Legality Rules are enforced when Alignment is specified by an aspect specification for a type.

- BD30003 [New] VCS Label: A4 1D
 - Check Legality Rules are enforced when Component_Size is specified by an aspect specification.
- CD30010 [New] VCS Label: A4 1D

Check that Component_Size can be specified via an aspect specification.

CD30011 [New] VCS Label: A4 1D

Merges legacy tests $\overline{\text{CD1009B}}$ and $\overline{\text{CD2A21C}}$ to eliminate duplication (CD1009B has the same objective as one of the objectives of CD2A21C) while adding modern formatting and applicability criteria.

CD30012 [New] VCS Label: A4 1D

Merges legacy tests CD1009A and CD2A31C to eliminate duplication (CD1009A has the same objective as one of the objectives of CD2A31C) while adding modern formatting and applicability criteria.

CD30013 [New] VCS Label: A4 1Y

Check that Program_Error is raised if two distinct declarations of tagged types have the same external tag. Part 1: Attribute definition clauses.

CD30014 [New] New VCS Label: A4 1Y

Check that Program_Error is raised if two distinct declarations of tagged types have the same external tag. Part 2: Aspect specifications.

BD4003A [Modified] VCS Label: A4 1A

Moved error marker from $@6\overline{6}$ to @67 so it is on the incorrect construct.

BDB0A01 [Modified] VCS Label: A4_1G

Revised to use Possible Error tags, and added error location indicators.

BDB2001 [New] VCS Label: A4 1G

Check that a call on an instance of Unchecked_Deallocation is illegal if the access type has a Storage_Size that is statically zero.

BDB4001 [New] VCS Label: A4 1P

Check that the object for a pool that supports subpools is declared in the same scope as the access type that uses it.

BDC1001 [New] VCS Label: A4_1X

Check that restriction No Use of Attribute is implemented.

- BDC1002 [New] VCS Label: A4_1X

 Check that restriction No Specification of Aspect is implemented.
- BDC1003 [New] VCS Label: A4_1X Check that restriction No Use of Pragma is implemented.
- BDD2003 [Modified] VCS Label: A4_1G
 Added additional error locations to directly support common error reporting strategies.
- BDD2006 [New] VCS Label: A4_1Q Check that the requirements for specifying the Stream_Size attribute are enforced.
- BDD2007 [New] VCS Label: A4_1Q Check that the requirements for specifying the Stream_Size aspect are enforced.
- CDD2B01 [New] VCS Label: A4_1Q

 Check that confirming Stream Size attributes work as expected.
- CDD2B02 [New] VCS Label: A4_1Q Check that confirming Stream Size aspects work as expected.
- CDD2B03 [New] VCS Label: A4_1Q Check that non-confirming Stream Size attributes work as expected.
- CDD2B04 [New] VCS Label: A4_1Q Check that non-confirming Stream Size aspects work as expected.
- CDE0002 [Modified] VCS Label: A4_1E

 Changed to use Storage_Size rather than Size so that the static expression rule of 13.14(7.2/3) is not triggered.
- BDE0007 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

 Added error location indicators; stripped SAIC development junk.
- CXA4034 [Withdrawn] VCS Label: A4_1AA Replaced by CXA4038.
- CXA4038 [New] VCS Label: A4_1AA
 Check that the operations Slice, Bounded_Slice, and
 To_(Wide_)String have the correct results, bounds, and exceptions
 for Bounded Strings and Bounded Wide Strings.
- CXA4039 [New] VCS Label: A4_1AA

 Check that the operations Slice, Unbounded_Slice, and
 To_(Wide_)String have the correct results, bounds, and exceptions
 for Unbounded Strings and Unbounded Wide Strings.
- CXAC009 [New] VCS Label: A4_1D Check that Stream_IO.File_Type has Preelaborable_Initialization.
- CXAG003 [New] VCS Label: A4_1H [VCS Label A4 1G] Check that function

Ada.Directories.Name_Case_Equivalence exists and that it reflects the handling of file names.

[VCS Label A4_1H] Added "return;" @171; if the file can't be opened, the Read File trial is complete.

CXAI001 [Modified] VCS Label: A4 1W

Changed the names of operations to be compatible with the ruling of AI12-0400-1. Also fixed some overlong lines.

BXAI005 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

BXAI006 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

BXAI007 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

BXAI008 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

CXAI010 [Modified] VCS Label: A4 1W

Changed the names of operations to be compatible with the ruling of AI12-0400-1. Also fixed some overlong lines.

CXAIA01 [Modified] VCS Label: A4 1W

Changed the names of operations to be compatible with the ruling of AI12-0400-1. Also fixed some overlong lines.

BXAIA03 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

BXAIA04 [Allowed Modification] New VCS Label: A4_1W Org VCS Label: A4_1 Required in ACATS 4.2

Added error location indicators rather than attempting to move the error tags - this test was designed expecting only that something in each marked construct would be rejected (unlike most tests).

CXAIB01 [New] VCS Label: A4 1U

[VCS Label A4_1T] Check that Ada.Containers.Vectors is preelaborated, and it and types declared in it can be used in preelaborated packages.

[VCS Label A4_1U] Corrected instance prefix of No_Element in some Insert calls. Qualified aggregates to avoid issues for Ada 202x.

CXAIB02 [New] VCS Label: A4 1U

[VCS Label A4_1T] Check that Ada.Containers.Bounded_Vectors is preelaborated, and it and types declared in it can be used in preelaborated packages.

[VCS Label A4_1U] Corrected instance prefix of No_Element in some Insert calls. Qualified aggregates to avoid issues for Ada 202x.

CXAIB03 [New] VCS Label: A4 1U

[VCS Label A4_1T] Check that Ada.Containers.Doubly_Linked_Lists is preelaborated, and it and types declared in it can be used in preelaborated packages.

[VCS Label A4_1U] Corrected instance prefix of No_Element in some Insert calls.

CXAIB04 [New] VCS Label: A4 1U

[VCS Label A4 1T] Check that

Ada.Containers.Bounded_Doubly_Linked_Lists is preelaborated, and it and types declared in it can be used in preelaborated packages. [VCS Label A4_1U] Corrected instance prefix of No_Element in some Insert calls.

CXAIB05 [New] VCS Label: A4 1T

Check that Ada.Containers.Ordered_Maps is preelaborated, and it and types declared in it can be used in preelaborated packages.

CXAIB06 [New] VCS Label: A4 1T

Check that Ada.Containers.Bounded_Ordered_Maps is preelaborated, and it and types declared in it can be used in preelaborated packages.

CXAIB07 [New] VCS Label: A4_1T

Check that Ada.Containers.Hashed_Maps is preelaborated, and it and types declared in it can be used in preelaborated packages.

CXAIB08 [New] VCS Label: A4 1T

Check that Ada.Containers.Bounded_Hashed_Maps is preelaborated, and it and types declared in it can be used in preelaborated packages.

CXB3013 [Modified] VCS Label: A4 1W

Added "#include <stdlib.h>" @f1:57, as this is required by standard C for the call to Malloc.

CXB3019 [Modified] VCS Label: A4 1S

Added missing failures if Program_Error is not raised when expected.

CXB3020 [Modified] VCS Label: A4 1S

Added missing failures if Program_Error is not raised when expected.

- CXB3021 [Modified] VCS Label: A4_1S

 Added missing failures if Program_Error is not raised when expected.
- CXB3022 [Modified] VCS Label: A4_1S

 Added missing failures if Program_Error is not raised when expected.
- CXB3023 [New] VCS Label: A4_1A Check that a value of an unchecked union type (defined with pragma Unchecked_Union) can be passed to a C function.
- CXB3024 [New] VCS Label: A4_1A

 Check that a value of an unchecked union type (defined with aspect Unchecked Union) can be passed to a C function.
- ==== Annex C =====
- BXC6A03 [Modified] VCS Label: A4_1G

 Changed subtest result to require the changes of AI05-0218-1.
- ==== Annex D =====
- CXD2007 [Modified] VCS Label: A4_1C
 Added missing N/A => Error tag.
- LXD7001 [Modified] VCS Label: A4_1C
 Added missing error tag.
- LXD7003 [Modified] VCS Label: A4_1C Added missing error tag.
- LXD7004 [Modified] VCS Label: A4_1C Added missing error tag.
- LXD7005 [Modified] VCS Label: A4_1C Added missing error tag.
- LXD7006 [Modified] VCS Label: A4_1C Added missing error tag.
- LXD7007 [Modified] VCS Label: A4_1C
 Added missing error tag.
- LXD7008 [Modified] VCS Label: A4_1C Added missing error tag.
- LXD7009 [Modified] VCS Label: A4_1C Added location indicators.
- CXDB001 [Modified] VCS Label: A4_1C Added missing N/A => Error tag.
- CXDB002 [Modified] VCS Label: A4_1C
 Added missing N/A => Error tag.

```
CXDB003 [Modified] VCS Label: A4 1C
      Added missing N/A \Rightarrow Error tag.
CXDB004 [Modified] VCS Label: A4 1C
      Added missing N/A \Rightarrow Error tag.
==== Annex E =====
[None.]
==== Annex F =====
[None.]
==== Annex G =====
[None.]
==== Annex H =====
LXH4001 [Modified] VCS Label: A4 1C
      Corrected format of error tag; added location indicators.
LXH4003 [Modified] VCS Label: A4 1C
      Corrected format of error tag; added location indicators.
LXH4006 [Modified] VCS Label: A4 1C
      Added missing error tags.
LXH4009 [Modified] VCS Label: A4 1C
      Added missing error tags.
LXH4013 [Modified] VCS Label: A4 1C
      Added missing error tags.
LXH4014 [Modified] VCS Label: A4 1C
      Added missing error tags.
==== Support ====
F350A00 [New] VCS Label: A4 1R
      A foundation for discrete specified Default Value tests.
F350B00 [New] VCS Label: A4 1R
      A foundation for real specified Default Value tests.
F360A00 [New] VCS Label: A4_1S
      A foundation for discrete specified Default Component Value tests.
F360B00 [New] VCS Label: A4 1S
      A foundation for real specified Default Component Value tests.
F452A00 [New] VCS Label: A4_1K
      A foundation used to check equality operations.
F458A00 [New] VCS Label: A4 1AA
```

A foundation containing a sparse array container, used in quantified expression tests.

F611A00 [New] VCS Label: A4 1C

[VCS Label A4_1A] Foundation for tests C611A01, C611A02, and C611A03.

[VCS Label A4 $_{-}$ 1C] Added additional data for test C611A04. The changes are only needed for that test.

F611B00 [New] VCS Label: A4 1A

Foundation for tests $\overline{C611B01}$, C611B02, and C611B03.

FDD2B00 [New] VCS Label: A4 1Q

A foundation for Stream Size aspect tests.

FXAIB00 [New] VCS Label: A4 1T

A foundation for container preelaboration tests.

GRADE.A [Modified] VCS Label: A4 1G

[VCS Label A4_1C] Allowed manual grading for tests that are missing execution or linking (with no earlier errors). Corrected the result for binder crashes. Added category totals to the summary.

[VCS Label A4_1D] Corrected so that Annex C RQMT failures are properly counted in their own category.

[VCS Label A4_1G] Corrected call @1578 so that the special handling flag rather than the failed flag is used with a manual grading message for a missing error set. (The actual grade was correct, only the message was wrong.)

GRD_DATA.A [Modified] VCS Label: A4_1P

[VCS Label A4_1D] Increased table sizes as the new tests have caused grading the entire ACATS to exceed the old limits.
[VCS Label A4_1M] Generalized reading of white space in order to be more resilient, especially on Unix-like systems.
[VCS Label A4_1P] MAX_SUMMARY_ITEMS @66 was increased to 40_000 as the ACATS has grown to exceed the old limit.

REPORT.A [Allowed Modification] New VCS Label: A4_1Y Org VCS Label: A4_1 Required in ACATS 4.2

The ACATS Version string was moved into a separate package Version.

SPECIAL.A [Modified] VCS Label: A4 1J

[VCS Label A4_1C] Added test BA21005 to the list of optional main subprograms.

[VCS Label A4_1H] Added seven tests to the list of optional main subprograms.

[VCS Label A4_1J Added more tests to the list of optional main subprograms.

SUMMARY.A [Modified] VCS Label: A4 1C

Corrected identification of main subprograms in modern tests. Changed the unit name for subunits to be the full expanded name including the parent name.

TCTOUCH.ADA [Modified] VCS Label: A4 1H

Added code so that Touch only reports buffer overflow once. Fixed the Id string.

```
VERSION.A [Pending New] New VCS Label: A4_1Y
Required in ACATS 4.2
The ACATS Version string is now found here.
```

How to get new and modified tests:

The official home of the ACATS test suite is the ACAA web site. The site can be accessed at www.ada-auth.org.

The complete set of official new and modified tests are available in the Mod_4_1DD.Zip and Tar files on the ACAA web site. As always, when a multi-file test is modified, we provide all of the files, including the unmodified files.

Individual new and modified tests can be retrieved from the ACATS VCS. Simply navigate to the appropriate directory (folder), and select the test you want. Select the revision you want (usually the most recent) and it will be retrieved for you. Tests are stored in directories that correspond to the test's prefix. For instance, the test CD92001.A will be found in the CD directory. You can also browse the differences between versions of a test. [In case of a conflict, the files in the ACATS VCS should be considered the 'official' versions.]

If you cannot get the files from the official site or you cannot get the files in a format appropriate for your processor, please contact your ACAL.

The baseline ACATS 4.1 is available in various formats on the ACAA web site.

Summary lists:

Withdrawn Tests

(Refer to the main list for details)

B74001A B74001B B74203E B83004A B83004B B83004C B83004D B85002A B85003A B85003B BA1101E BC2001D BC2001E C95072A CD1009A CD1009B CD1009L CD1009M CD2A21C

CD2A31C CXA4034

Allowed Modification Tests

(Refer to the main list for details)

B32201A	ACATS	4.2
B324001	ACATS	4.2
B33101A	ACATS	4.2
B35901C	ACATS	4.2
B36102A	ACATS	4.2
В370002	ACATS	4.2
B38103A	ACATS	4.2
B38103B	ACATS	4.2
B38103C	ACATS	4.2
B38103D	ACATS	4.2
B38103E	ACATS	4.2
B393005	ACATS	4.2
B393008	ACATS	4.2
B393009	ACATS	4.2
B394001	ACATS	4.2
B394A01	ACATS	4.2
B394A02	ACATS	4.2
B394A03	ACATS	4.2
B394A04	ACATS	4.2
B394A05	ACATS	4.2
B41327B	ACATS	4.2
B415001	ACATS	4.2
B43201A	ACATS	
B43201A B43201C	ACATS	4.2 4.2
B43201C B43202C	ACATS	4.2
B433002	ACATS	4.2
B433002 B433003		4.2
B457002	ACATS	
	ACATS	4.2
B457005	ACATS	4.2
B457007	ACATS	4.2
B460002	ACATS	4.2
B480002	ACATS	4.2
B48002A	ACATS	4.2
B48002G	ACATS	4.2
B48003B	ACATS	4.2
B48003E	ACATS	4.2
B490003	ACATS	4.2
B49005A	ACATS	
B551001	ACATS	4.2
B56001A	ACATS	4.2
B57001B	ACATS	4.2
B650003	ACATS	4.2
B650005	ACATS	4.2
В660001	ACATS	4.2
В660002	ACATS	4.2
В660003	ACATS	4.2
B66001A	ACATS	4.2
B66001B	ACATS	4.2
B67001C	ACATS	4.2

B730007	ACATS	4.2
B730008	ACATS	4.2
B730009	ACATS	4.2
B740002	ACATS	4.2
B74101A	ACATS	4.2
B74104A	ACATS	4.2
B830001	ACATS	3.2
B83001A	ACATS	3.2 3.2 3.2
B83003A	ACATS	3.2
B83003B	ACATS	3.2
B950002	ACATS	4.2
B95094A	ACATS	4.2
BA21A01	ACATS	4.2
BC1201F	ACATS	4.2
BC1201G	ACATS	4.2
BC1201H	ACATS	4.2
BC1201I	ACATS	4.2
BC30001	ACATS	4.2
BC3013A	ACATS	4.2
BC3018A	ACATS	4.2
BC51019	ACATS	4.2
BC51020	ACATS	4.2
BC51B02	ACATS	4.2
BC51C01	ACATS	4.2
BC51C02	ACATS	4.2
BC60001	ACATS	4.2
BC60002	ACATS	4.2
BD11001	ACATS	4.2
BDE0007	ACATS	4.2
BXAI005	ACATS	4.2
BXAI006	ACATS	4.2
BXAI007	ACATS	4.2
BXAI008	ACATS	4.2
BXAIA03	ACATS	4.2
BXAIA04	ACATS	4.2
REPORT	ACATS	4.2

Modified Tests

(Refer to the main list for details)

B33001A B37309B B37310B B37311A B38003D B392002

B392003 B392004

B392005 B393001

B393001

В393010

B3A1001 B3A1002

B3A1002 B3A2007

B3A2008

B3A2009

B3A2011

B3A2012

B3A2016

В413004

B416001

B455002

B457001

B457004

B4A010C

B540001

DOJJOOJ

B540002

B54B01B

B54B01C

B54B02B

B54B02C

B54B02D

B54B04A

B54B04B

B54B05A

B551002

B552A01

B55B12B

B55B12C

B62001C

B62001D

B63005A

B63005B

B680001

В730006

B73001A

B73001B

B73001C

B73001D

B73001E

B73001F

B73001G

В73001Н

B732C02

B740003

B83027B B83027D

B83E01B

B83F02C

D03FU2C

B851004

В95007В

B91003A

B91003B

B91003C

B91003D B940003

В940004

B950001

BA1001D

BA1020F

BA11007

BA11013

BA12010

BC51016

BB42001

BD4003A

BDB0A01

BDD2003

BXC6A03

C352001

C415001

C52101A

C94001A

C94001B

C94001C

C94002A

C94004A

C94004B

C94004C

C94005A

C94005B

C94007A

C94010A

C95012A

C97307A

CC3601C

CC51010

CDE0002

CXAI001

CXAI010

CXAIA01

CXB3013

CXB3019

CXB3020

CXB3021

CXB3022

CXD2007

CXDB001

CXDB002

CXDB003

CXDB004

LXD7001

LXD7003

LXD7004

LXD7005

LXD7006

LXD7007

LXD7008

LXD7009

LXH4001

LXH4003 LXH4006

LXH4009

LXH4013

LXH4014

GRADE

GRD DATA

SPECIAL

SUMMARY

New Tests

(Refer to the main list for details)

B324004

B350001

B354002

B35A001

B360001

B393012

В393013

B3A2018

В431007

B431008

B431009

В432002

B432003

B440001

B452001

B452002

B458001

B470001

B480004

B490004

B611001

B611002

B611003

B611004 B611005

B611006

B611007

B611008

В611009

B611010

B611011

B611012

B611013

B611014 B611015

B611016

В611017

B611018

B611019

B631001

B641003

B650007

B651001

B651002

B651003

B651004

В730011

B730012

B730013

B750A07

B830003

B830004

B830005

B830006

B831006

B851005

B851006

B851007

B853001

B854002

B854003

B854004

B854005

B860002

В940008

В940009

B940010

В940011

B952005

D J J Z O O C

BA12018

BA14001

BA14002

BA14003

BA21005

BB42001

BB42002

BB42003

BC10001

BC40003

BC54004

BC55001

BC60005

BD10001

BD30001

BD30002

BD30003

BDB2001

BDB4001

BDC1001

BDC1002

BDC1003

BDD2006

BDD2007

C324006

C350001

C350A01

C350A02

C350B01

C350B02

C354004

C35A001

C360A01

C360A02

C360B01

C360B02

C3A0030

C431003

C431004

C452002

C452003

C452004

C452005

C452006

C452A01

C452A02

C452A03

C453001

C458002

C458003

C458A01

C458A02

C460014

C460015

C470001

C480001

C611A01

C611A02

C611A03

C611A04

C611B01

C611B02

C611B03

C620002

C641002

C641003

C650B04

C651001

C651002

C760A02

C760A03 C940017

CB42001

CB42002

CB42003

CD11001

CD30010 CD30011

CD30012

CD30013

CD30014

CDD2B01

CDD2B02

CDD2B03

CDD2B04

CXA4038

CXA4039

CXAC009

CXAG003

CXAIB01

CXAIB02 CXAIB03

CXAIB04

CXAIB05

CXAIB06 CXAIB07 CXAIB08 CXB3023 CXB3024 F350A00 F350B00 F360A00 F360B00 F452A00 F452A00 F611A00 F611B00 FDD2B00 FXAIB00

Pending New Tests

(Refer to the main list for details)

B3A1011	2023-10-01
B3A1A06	2023-10-01
B413005	2023-07-01
B433004	2023-04-01
C413007	2023-07-01
C433007	2023-04-01
C433008	2023-07-01
REPORT	ACATS 4.2
VERSION	ACATS 4.2